

All Kodiak transfer pumps are engineered and manufactured to provide the utmost in quality and reliability for professional end-users. Whether to irrigate a field, resurface an ice rink, empty a pool or quickly empty a flooded basement Kodiak has the pump to get the job done.







- Powered by Honda GX engines with Oil Alert for extra reliability (No oil alert on PWP1H)
- Protective metal roll cage on 2", 3" & 4" pumps give added strength for everyday jobsite use
- Cast-aluminum pump housing offers protection & portability
- Handles solids up to ¼" (7mm) in diameter
- Made in Japan

PWP1H	PWP2HX	PWP3HX	PWP4HX
1.0HP Honda GX25 OHC	4.0HP Honda GX120 OHV	5.5HP Honda GX160 OHV	8.0HP Honda GX240 OHV
1" X 1" Port Size	2" X 2" Port Size	3" X 3" Port Size	4" X 4" Port Size
31 gpm max capacity	137 gpm max capacity	290 gpm max capacity	476 gpm max capacity
26 ft suction lift	26 ft suction lift	26 ft suction lift	26 ft suction lift
114 ft max head	106 ft max head	106 ft max head	93 ft max head
11 Lbs	52 Lbs	66 Lbs	110 Lbs



Distributed by:





All Kodiak transfer pumps are engineered and manufactured to provide the utmost in quality and reliability for professional end-users. Whether to transfer chemical or spray chemical Kodiak has the pump to get the job done.



- Powered by Honda GC engine
- 2" Poly pump
- Chemical resistant
- Viton seals
- Assembled in Canada

PWP2P5GC
5.0HP Honda GC160 OHC
2" X 2" Port Size
150 gpm max capacity
25 ft suction lift
134 ft max head
46 Lbs



www.kodiakpower.ca

Distributed by:





All Kodiak transfer pumps are engineered and manufactured to provide the utmost in quality and reliability for professional end-users. Ideal for fire prevention or transferring water to a higher elevation. Overall Kodiak has the pump to get the job done.



- Special high pressure design lets you blast through jobs faster and more thoroughly
- Metal roll cage adds strength and extra protection for extended durability
- Cast iron volute and impeller for heavy duty performance
- Made in Japan

PWP2SCH5050		
5.5 HP Honda GX160 OHV		
2" X 2" Port Size		
106 gpm max capacity		
26 ft suction lift		
167 ft max head		
59 Lbs		



Distributed by:







Ideal for fire prevention, irrigation or transferring water to a higher elevation

New Product



- Metal roll cage adds strength and extra protection for extended durability
- Cast aluminum pump housing offers protection & portability
- Cast iron volute and cast aluminum impeller for heavy duty performance
- Carbon ceramic seal
- Made in Japan

PWP15SCH4070		
5.5 HP Honda GX160 OHV		
1.5" X 1.5" Port Size		
103 gpm max capacity		
26 ft suction lift		
233 ft max head		
59 Lbs		



Distributed by:





All Kodiak transfer pumps are engineered and manufactured to provide the utmost in quality and reliability for professional end-users. Whether to empty a ditch during construction or removing slurry around the farm Kodiak has the pump to get the job done.





- Powered by Honda GX engines with Oil Alert for extra reliability
- Super tough design, handles slurry & solids up to 3/4" in diameter
- Heavy-duty silicon carbide mechanical seal for longer lasting performance
- Cast iron volute and impeller for heavy duty performance
- Made in Japan

PWP2SST	PWP3SST	
4.0HP Honda GX120 OHV	5.5HP Honda GX160 OHV	
2" X 2" Port Size	3" X 3" Port Size	
185 gpm max capacity	264 gpm max capacity	
26 ft suction lift	26 ft suction lift	
76 ft max head	76 ft max head	
46 Lbs	57 Lbs	



Distributed by:





All Kodiak transfer pumps are engineered and manufactured to provide the utmost in quality and reliability for professional end-users. Whether to empty a ditch during construction or removing slurry around the farm Kodiak has the pump to get the job done.





- Powered by Honda GX engines with Oil Alert for extra reliability
- Super tough design, handles slurry & solids up to 1" in diameter
- Heavy-duty silicon carbide mechanical seal for longer lasting performance
- Cast iron volute and impeller for heavy duty performance
- Removable front cover for easy cleaning and on site maintenance
- Made in Japan

PWP2SWT	PWP3SWT	PWP4SWT
5.5HP Honda GX160 OHV	8.0HP Honda GX240 OHV	11.0HP Honda GX340 OHV
2" X 2" Port Size	3" X 3" Port Size	4" X 4" Port Size
158 gpm max capacity	343 gpm max capacity	528 gpm max capacity
26 ft suction lift	26 ft suction lift	26 ft suction lift
85 ft max head	92 ft max head	79 ft max head
74 Lbs	132 Lbs	147 Lbs



Distributed by: