


BOYAUX SUPERCOIL®

| Item Description | Male Fitting Size & Type | Coil Inside Diameter | Coil Outside Diameter | Working Pressure at 68°F (20°C) | Coils with Strain Relief Guards Part Number | Coils with Reusable Fittings Part Number | Color Code Suffix |
|----------------------|--------------------------|----------------------|-----------------------|---------------------------------|---|--|--------------------|
| 3/16" x 5/16" x 5' | 1/4" Swivel NPT | 1" | 2-1/8" | 147 PSI (10.1 Bar) | U305 | X305 | 1, 2, 3, 5, 13, 16 |
| 3/16" x 5/16" x 10' | 1/4" Swivel NPT | 1" | 2-1/8" | 147 PSI (10.1 Bar) | U310 | X310 | 1, 2, 3, 5, 13, 16 |
| 3/16" x 5/16" x 15' | 1/4" Swivel NPT | 1" | 2-1/8" | 147 PSI (10.1 Bar) | U315 | X315 | 1, 2, 3, 5, 13, 16 |
| 3/16" x 5/16" x 20' | 1/4" Swivel NPT | 1" | 2-1/8" | 147 PSI (10.1 Bar) | U320 | X320 | 1, 2, 3, 5, 13, 16 |
| 3/16" x 5/16" x 25' | 1/4" Swivel NPT | 1" | 2-1/8" | 147 PSI (10.1 Bar) | U325 | X325 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 10' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U410 | X410 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 15' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U415 | X415 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 20' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U420 | X420 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 25' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U425 | X425 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 30' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U430 | X430 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 35' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U435 | X435 | 1, 2, 3, 5, 13, 16 |
| 1/4" x 3/8" x 40' | 1/4" Swivel NPT | 1-3/4" | 2-1/2" | 147 PSI (10.1 Bar) | U440 | X440 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 10' | 1/4" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U5A10 | X5A10 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 15' | 1/4" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U5A15 | X5A15 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 20' | 1/4" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U5A20 | X5A20 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 25' | 1/4" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U5A25 | X5A25 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 40' | 1/4" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U5A40 | X5A40 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 10' | 3/8" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U510 | X510 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 15' | 3/8" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U515 | X515 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 20' | 3/8" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U520 | X520 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 25' | 3/8" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U525 | X525 | 1, 2, 3, 5, 13, 16 |
| 5/16" x 15/32" x 40' | 3/8" Swivel NPT | 2-1/4" | 3-7/16" | 120 PSI (8.3 Bar) | U540 | X540 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 10' | 1/4" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U6A10 | X6A10 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 20' | 1/4" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U6A20 | X6A20 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 25' | 1/4" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U6A25 | X6A25 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 30' | 1/4" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U6A30 | X6A30 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 50' | 1/4" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U6A50 | X6A50 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 10' | 1/4" Rigid NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | N. A | X6AR10 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 20' | 1/4" Rigid NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | N. A | X6AR20 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 25' | 1/4" Rigid NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | N. A | X6AR25 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 30' | 1/4" Rigid NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | N. A | X6AR30 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 50' | 1/4" Rigid NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | N. A | X6AR50 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 10' | 3/8" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U610 | X610 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 20' | 3/8" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U620 | X620 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 25' | 3/8" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U625 | X625 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 30' | 3/8" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U630 | X630 | 1, 2, 3, 5, 13, 16 |
| 3/8" x 9/16" x 50' | 3/8" Swivel NPT | 2-1/2" | 3-5/8" | 133 PSI (9.2 Bar) | U650 | X650 | 1, 2, 3, 5, 13, 16 |
| 1/2" x 3/4" x 10' | 1/2" Swivel NPT | 3" | 4-1/2" | 120 PSI (8.3 Bar) | N. A | X710 | 1, 2, 3, 5, 13, 16 |
| 1/2" x 3/4" x 20' | 1/2" Swivel NPT | 3" | 4-1/2" | 120 PSI (8.3 Bar) | N. A | X720 | 1, 2, 3, 5, 13, 16 |
| 1/2" x 3/4" x 25' | 1/2" Swivel NPT | 3" | 4-1/2" | 120 PSI (8.3 Bar) | N. A | X725 | 1, 2, 3, 5, 13, 16 |
| 1/2" x 3/4" x 30' | 1/2" Swivel NPT | 3" | 4-1/2" | 120 PSI (8.3 Bar) | N. A | X730 | 1, 2, 3, 5, 13, 16 |
| 1/2" x 3/4" x 50' | 1/2" Swivel NPT | 3" | 4-1/2" | 120 PSI (8.3 Bar) | N. A | X750 | 1, 2, 3, 5, 13, 16 |



BOYAUX SUPERBRAID®

| Item Description | Male Fitting Size & Type | Coil Inside Diameter | Coil Outside Diameter | Working Pressure at 68°F (20°C) | Coils with Strain Relief Guards Part Number | Coils with Reusable Fittings Part Number | Color Code Suffix |
|----------------------|--------------------------|----------------------|-----------------------|---------------------------------|---|--|-------------------|
| 3/16" x 5/16" x 5' | 1/4" Swivel NPT | 3/4" | 1-3/8" | 260 PSI (18.0 Bar) | C305 | B305 | 5, 7, 13 |
| 3/16" x 5/16" x 10' | 1/4" Swivel NPT | 3/4" | 1-3/8" | 260 PSI (18.0 Bar) | C310 | B310 | 5, 7, 13 |
| 3/16" x 5/16" x 15' | 1/4" Swivel NPT | 3/4" | 1-3/8" | 260 PSI (18.0 Bar) | C315 | B315 | 5, 7, 13 |
| 3/16" x 5/16" x 20' | 1/4" Swivel NPT | 3/4" | 1-3/8" | 260 PSI (18.0 Bar) | C320 | B320 | 5, 7, 13 |
| 3/16" x 5/16" x 25' | 1/4" Swivel NPT | 3/4" | 1-3/8" | 260 PSI (18.0 Bar) | C325 | B325 | 5, 7, 13 |
| 1/4" x 3/8" x 10' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C410 | B410 | 5, 7, 13 |
| 1/4" x 3/8" x 15' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C415 | B415 | 5, 7, 13 |
| 1/4" x 3/8" x 20' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C420 | B420 | 5, 7, 13 |
| 1/4" x 3/8" x 25' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C425 | B425 | 5, 7, 13 |
| 1/4" x 3/8" x 30' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C430 | B430 | 5, 7, 13 |
| 1/4" x 3/8" x 35' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C435 | B435 | 5, 7, 13 |
| 1/4" x 3/8" x 40' | 1/4" Swivel NPT | 1" | 1-3/4" | 220 PSI (15.2 Bar) | C440 | B440 | 5, 7, 13 |
| 5/16" x 15/32" x 10' | 1/4" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C5A10 | B5A10 | 5, 7, 13 |
| 5/16" x 15/32" x 15' | 1/4" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C5A15 | B5A15 | 5, 7, 13 |
| 5/16" x 15/32" x 20' | 1/4" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C5A20 | B5A20 | 5, 7, 13 |
| 5/16" x 15/32" x 25' | 1/4" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C5A25 | B5A25 | 5, 7, 13 |
| 5/16" x 15/32" x 40' | 1/4" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C5A40 | B5A40 | 5, 7, 13 |
| 5/16" x 15/32" x 10' | 3/8" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C510 | B510 | 5, 7, 13 |
| 5/16" x 15/32" x 15' | 3/8" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C515 | B515 | 5, 7, 13 |
| 5/16" x 15/32" x 20' | 3/8" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C520 | B520 | 5, 7, 13 |
| 5/16" x 15/32" x 25' | 3/8" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C525 | B525 | 5, 7, 13 |
| 5/16" x 15/32" x 40' | 3/8" Swivel NPT | 1-1/4" | 2-1/4" | 185 PSI (12.8 Bar) | C540 | B540 | 5, 7, 13 |
| 3/8" x 9/16" x 10' | 1/4" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A10 | B6A10 | 5, 7, 13 |
| 3/8" x 9/16" x 20' | 1/4" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A20 | B6A20 | 5, 7, 13 |
| 3/8" x 9/16" x 25' | 1/4" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A25 | B6A25 | 5, 7, 13 |
| 3/8" x 9/16" x 30' | 1/4" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A30 | B6A30 | 5, 7, 13 |
| 3/8" x 9/16" x 50' | 1/4" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A50 | B6A50 | 5, 7, 13 |
| 3/8" x 9/16" x 10' | 1/4" Rigid NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A10 | B6A10 | 5, 7, 13 |
| 3/8" x 9/16" x 20' | 1/4" Rigid NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A20 | B6A20 | 5, 7, 13 |
| 3/8" x 9/16" x 25' | 1/4" Rigid NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A25 | B6A25 | 5, 7, 13 |
| 3/8" x 9/16" x 30' | 1/4" Rigid NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A30 | B6A30 | 5, 7, 13 |
| 3/8" x 9/16" x 50' | 1/4" Rigid NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C6A50 | B6A50 | 5, 7, 13 |
| 3/8" x 9/16" x 10' | 3/8" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C610 | B610 | 5, 7, 13 |
| 3/8" x 9/16" x 20' | 3/8" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C620 | B620 | 5, 7, 13 |
| 3/8" x 9/16" x 25' | 3/8" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C625 | B625 | 5, 7, 13 |
| 3/8" x 9/16" x 30' | 3/8" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C630 | B630 | 5, 7, 13 |
| 3/8" x 9/16" x 50' | 3/8" Swivel NPT | 1-3/4" | 2-7/8" | 200 PSI (13.8 Bar) | C650 | B650 | 5, 7, 13 |



| Hose I.D. x O.D. | Temperature Range | Working Pressure @ 68°F (20°C) |
|--------------------------------------|---------------------------------------|--------------------------------|
| 1/4" x 3/8" (6.35 mm x 9.5 mm) | -40°F to + 165°F (-40°C to + 74°C) | 220 PSI (15 Bar) |
| 5/16" x 15/32" (8.0 mm x 12.0 mm) | -40°F to + 165°F (-40°C to + 74°C) | 185 PSI (12.7 Bar) |
| 3/8" x .515" (9.5 mm x 13.0 mm) | -40°F to + 165°F (-40°C to + 74°C) | 200 PSI (13.5 Bar) |

BOYAUX SUPERBRAID® Ultra-Lite

| Hose I.D x O.D. | Hose Length | Hose Color | Fitting Size & Type | Part Number for Hose Assemblies with Barb Fittings & Spring Guards | Part Numbers for Hose Assemblies with Reusable Fittings | Part Numbers for Hose Assemblies with Reusable Fittings & Spring Guards |
|-----------------|-------------|------------------|-----------------------|--|---|---|
| 1/4" x 3/8" | 25' | Transparent Blue | 1/4" Male NPT, Swivel | D42513 | D42513-4SR | D42513-4SRG |
| 1/4" x 3/8" | 25' | Yellow | 1/4" Male NPT, Swivel | D4255 | D4255-4SR | D4255-4SRG |
| 1/4" x 3/8" | 50' | Transparent Blue | 1/4" Male NPT, Swivel | D45013 | D45013-4SR | D45013-4SRG |
| 1/4" x 3/8" | 50' | Yellow | 1/4" Male NPT, Swivel | D4505 | D4505-4SR | D4505-4SRG |
| 1/4" x 3/8" | 100' | Transparent Blue | 1/4" Male NPT, Swivel | D49913 | D49913-4SR | D49913-4SRG |
| 1/4" x 3/8" | 100' | Yellow | 1/4" Male NPT, Swivel | D4995 | D4995-4SR | D4995-4SRG |
| 5/16" x 15/32" | 25' | Transparent Blue | 3/8" Male NPT, Swivel | D52513 | D52513-6SR | — |
| 5/16" x 15/32" | 25' | Yellow | 3/8" Male NPT, Swivel | D5255 | D5255-6SR | — |
| 5/16" x 15/32" | 50' | Transparent Blue | 3/8" Male NPT, Swivel | D55013 | D55013-6SR | — |
| 5/16" x 15/32" | 50' | Yellow | 3/8" Male NPT, Swivel | D5505 | D5505-6SR | — |
| 5/16" x 15/32" | 100' | Transparent Blue | 3/8" Male NPT, Swivel | D59913 | D59913-6SR | — |
| 5/16" x 15/32" | 100' | Yellow | 3/8" Male NPT, Swivel | D5995 | D5995-6SR | — |
| 3/8" x .515" | 25' | Yellow | 1/4" Male NPT, Rigid | DL6255-4R | DL6255-4RR | DL6255-4RRG |
| 3/8" x .515" | 25' | Yellow | 1/4" Male NPT, Swivel | DL6255-4S | DL6255-4SR | DL6255-4SRG |
| 3/8" x .515" | 50' | Yellow | 1/4" Male NPT, Rigid | DL6505-4R | DL6505-4RR | DL6505-4RRG |
| 3/8" x .515" | 50' | Yellow | 1/4" Male NPT, Swivel | DL6505-4S | DL6505-4SR | DL6505-4SRG |
| 3/8" x .515" | 100' | Yellow | 1/4" Male NPT, Rigid | DL6995-4R | DL6995-4RR | DL6995-4RRG |
| 3/8" x .515" | 100' | Yellow | 1/4" Male NPT, Swivel | DL6995-4S | DL6995-4SR | DL6995-4SRG |
| 3/8" x .515" | 25' | Yellow | 3/8" Male NPT, Rigid | DL6255-6R | — | — |
| 3/8" x .515" | 25' | Yellow | 3/8" Male NPT, Swivel | DL6255-6S | DL6255-6SR | DL6255-6SRG |
| 3/8" x .515" | 50' | Yellow | 3/8" Male NPT, Rigid | DL6505-6R | — | — |
| 3/8" x .515" | 50' | Yellow | 3/8" Male NPT, Swivel | DL6505-6S | DL6505-6SR | DL6505-6SRG |
| 3/8" x .515" | 100' | Yellow | 3/8" Male NPT, Rigid | DL6995-6R | — | — |
| 3/8" x .515" | 100' | Yellow | 3/8" Male NPT, Swivel | DL6995-6S | DL6995-6SR | DL6995-6SRG |



| Hose Type | Hose Size | Fitting Size & Thread Type | Fitting Type | Hose Color | — | Hose Length |
|--|--|---|--|--|--|-------------|
| N Nylon Self-Storing Air Hose T Tightly Wound Nylon Self-Storing Air Hose H Heavy Duty Nylon Self-Storing Air Hose 2N Dual Bonded Nylon Self-Storing Air Hose 2H Dual Bonded Heavy Duty Nylon Self-Storing Air Hose | 2 1/8" 3 3/16" 4 1/4" 5 5/16" 6 3/8" 8 1/2" 9 3/4" 1 1" 7 1-1/4" | G 1/8" NPT Male A 1/4" NPT Male B 3/8" NPT Male C 1/2" NPT Male D 3/4" NPT Male E 1" NPT Male L 1/8" BSPT Male M 1/4" BSPT Male N 3/8" BSPT Male Q 1/8" BSPT Male R 1/4" BSPT Male S 3/8" BSPT Male X No Fittings(bulk hose) | R Rigid S Swivel T Rigid & Swivel X No Fittings (bulk hose) | 1 Black 2 Red 3 Blue 5 Yellow 1 2 3 5 | 12 12' 25 25' 50 50' 80 80' 100 100' | |

Spécifications:

Température..... - 40° F to + 200° F (- 40° C to + 93° C)

Pression..... 160 PSI – 385 PSI
 (depending on the hose size)
 @ 68° F (11.0 Bars – 26.5 Bars @ 20° C)

Heavy Duty:..... 310 PSI – 350 PSI
 (depending on the hose size)
 @ 68° F (21.5 Bars – 24.0 Bars @ 20° C)

Couleurs:.....Rouge et Jaune


Nylon Self-Storing Air Hose Assemblies & Bulk Hose Ordering Information

| Hose I.D. & Length | Fittings | Working Length | Nominal Compact Length | Hose Color | Part Number | Previous Part Number | Hose I.D. & Length | Fittings | Working Length | Nominal Compact Length | Hose Color | Part Number | Previous Part Number |
|--------------------|------------------|----------------|------------------------|------------|-------------|----------------------|--------------------|--------------------|----------------|------------------------|------------|-------------|----------------------|
| 1/8" x 12' | 1/8" MPT, Swivel | 10' | 7" | Red | N2GS2-12 | 12121 | 3/8" x 25' | 1/4" MPT, Swivel | 21' | 10" | Blue | N6AS3-25 | |
| 1/8" x 12' | 1/8" MPT, Swivel | 10' | 7" | Blue | N2GS3-12 | | 3/8" x 25' | 1/4" MPT, Swivel | 21' | 10" | Black | N6AS1-25 | |
| 1/8" x 25' | 1/8" MPT, Swivel | 22' | 13" | Red | N2GS2-25 | 12251 | 3/8" x 50' | 1/4" MPT, Swivel | 42' | 20" | Red | N6AS2-50 | 16571 |
| 1/8" x 25' | 1/8" MPT, Swivel | 22' | 13" | Blue | N2GS3-25 | | 3/8" x 50' | 1/4" MPT, Swivel | 42' | 20" | Yellow | N6AS5-50 | 16572 |
| 1/8" x 50' | 1/8" MPT, Swivel | 45' | 26" | Red | N2GS2-50 | 12501 | 3/8" x 50' | 1/4" MPT, Swivel | 42' | 20" | Blue | N6AS3-50 | |
| 1/8" x 50' | 1/8" MPT, Swivel | 45' | 26" | Blue | N2GS3-50 | | 3/8" x 50' | 1/4" MPT, Swivel | 42' | 20" | Black | N6AS1-50 | |
| 1/8" x 50' | None (Bulk) | N. A. | 28" | Red | N2XX2-50 | 12001 | 3/8" x 12' | 3/8" MPT, Swivel | 10' | 5" | Red | N6BS2-12 | 16121 |
| 1/8" x 50' | None (Bulk) | N. A. | 28" | Blue | N2XX3-50 | | 3/8" x 12' | 3/8" MPT, Swivel | 10' | 5" | Yellow | N6BS5-12 | 16122 |
| 3/16" x 12' | 1/4" MPT, Swivel | 10' | 6" | Red | N3AS2-12 | 13121 | 3/8" x 12' | 3/8" MPT, Swivel | 10' | 5" | Blue | N6BS3-12 | |
| 3/16" x 12' | 1/4" MPT, Swivel | 10' | 6" | Yellow | N3AS5-12 | | 3/8" x 12' | 3/8" MPT, Swivel | 10' | 5" | Black | N6BS1-12 | |
| 3/16" x 25' | 1/4" MPT, Swivel | 22' | 12" | Red | N3AS2-25 | 13251 | 3/8" x 25' | 3/8" MPT, Swivel | 21' | 10" | Red | N6BS2-25 | 16251 |
| 3/16" x 25' | 1/4" MPT, Swivel | 22' | 12" | Yellow | N3AS5-25 | | 3/8" x 25' | 3/8" MPT, Swivel | 21' | 10" | Yellow | N6BS5-25 | 16252 |
| 3/16" x 50' | 1/4" MPT, Swivel | 45' | 22" | Red | N3AS2-50 | 13501 | 3/8" x 25' | 3/8" MPT, Swivel | 21' | 10" | Blue | N6BS3-25 | |
| 3/16" x 50' | 1/4" MPT, Swivel | 45' | 22" | Yellow | N3AS5-50 | | 3/8" x 25' | 3/8" MPT, Swivel | 21' | 10" | Black | N6BS1-25 | |
| 3/16" x 100' | None (Bulk) | N. A. | 45" | Red | N3XX2-100 | 13001 | 3/8" x 50' | 3/8" MPT, Swivel | 42' | 20" | Red | N6BS2-50 | 16501 |
| 3/16" x 100' | None (Bulk) | N. A. | 45" | Yellow | N3XX5-100 | | 3/8" x 50' | 3/8" MPT, Swivel | 42' | 20" | Yellow | N6BS5-50 | 16502 |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 6" | Red | T4AS2-12 | 14121 | 3/8" x 50' | 3/8" MPT, Swivel | 42' | 20" | Blue | N6BS3-50 | |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 6" | Black | T4AS1-12 | 14120 | 3/8" x 50' | 3/8" MPT, Swivel | 42' | 20" | Black | N6BS1-50 | |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 12" | Red | T4AS2-25 | 14251 | 3/8" x 100' | None (Bulk) | N. A. | 38" | Red | N6XX2-100 | 16001 |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 12" | Black | T4AS1-25 | 14250 | 3/8" x 100' | None (Bulk) | N. A. | 38" | Yellow | N6XX5-100 | 16002 |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 22" | Red | T4AS2-50 | 14501 | 3/8" x 100' | None (Bulk) | N. A. | 38" | Blue | N6XX3-100 | |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 22" | Black | T4AS1-50 | 14500 | 3/8" x 100' | None (Bulk) | N. A. | 38" | Black | N6XX1-100 | |
| 1/4" x 100' | None (Bulk) | N. A. | 45" | Red | T4XX2-100 | 14001 | 1/2" x 12' | 1/2" MPT, Swivel | 9' | 5" | Red | N8CS2-12 | 17121 |
| 1/4" x 100' | None (Bulk) | N. A. | 45" | Black | T4XX1-100 | 14000 | 1/2" x 12' | 1/2" MPT, Swivel | 9' | 5" | Yellow | N8CS5-12 | 17122 |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 4-1/2" | Red | N4AS2-12 | | 1/2" x 12' | 1/2" MPT, Swivel | 9' | 5" | Black | N8CS1-12 | |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 4-1/2" | Yellow | N4AS5-12 | 14122 | 1/2" x 25' | 1/2" MPT, Swivel | 18' | 9" | Red | N8CS2-25 | 17251 |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 4-1/2" | Blue | N4AS3-12 | | 1/2" x 25' | 1/2" MPT, Swivel | 18' | 9" | Yellow | N8CS5-25 | 17252 |
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 4-1/2" | Black | N4AS1-12 | | 1/2" x 25' | 1/2" MPT, Swivel | 18' | 9" | Black | N8CS1-25 | |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 9" | Red | N4AS2-25 | | 1/2" x 50' | 1/2" MPT, Swivel | 37' | 18" | Red | N8CS2-50 | 17501 |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 9" | Yellow | N4AS5-25 | 14252 | 1/2" x 50' | 1/2" MPT, Swivel | 37' | 18" | Yellow | N8CS5-50 | 17502 |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 9" | Blue | N4AS3-25 | | 1/2" x 50' | 1/2" MPT, Swivel | 37' | 18" | Black | N8CS1-50 | |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 9" | Black | N4AS1-25 | | 1/2" x 100' | None (Bulk) | N. A. | 35" | Red | N8XX2-100 | 17001 |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 18" | Red | N4AS2-50 | | 1/2" x 100' | None (Bulk) | N. A. | 35" | Yellow | N8XX5-100 | 17002 |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 18" | Yellow | N4AS5-50 | 14502 | 1/2" x 100' | None (Bulk) | N. A. | 35" | Black | N8XX1-100 | |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 18" | Blue | N4AS3-50 | | 3/4" x 25' | 3/4" MPT, Swivel | 17' | 9" | Red | N9DS2-25* | 18251 |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 18" | Black | N4AS1-50 | | 3/4" x 25' | 3/4" MPT, Swivel | 17' | 9" | Black | N9DS1-25* | |
| 1/4" x 100' | None (Bulk) | N. A. | 38" | Red | N4XX2-100 | | 3/4" x 50' | 3/4" MPT, Swivel | 35' | 16" | Red | N9DS2-50* | 18501 |
| 1/4" x 100' | None (Bulk) | N. A. | 38" | Yellow | N4XX5-100 | 14002 | 3/4" x 50' | 3/4" MPT, Swivel | 35' | 16" | Black | N9DS1-50* | |
| 1/4" x 100' | None (Bulk) | N. A. | 38" | Blue | N4XX3-100 | | 3/4" x 100' | None (Bulk) | N. A. | 29" | Red | N9XX2-100 | 18001 |
| 1/4" x 100' | None (Bulk) | N. A. | 38" | Black | N4XX1-100 | | 3/4" x 100' | None (Bulk) | N. A. | 29" | Black | N9XX1-100 | 18003 |
| 5/16" x 12' | 1/4" MPT, Swivel | 10' | 6" | Red | N5AS2-12 | 15121 | 1" x 25' | 3/4" MPT, Swivel | 17' | 9" | Red | N1DS2-25* | 19251 |
| 5/16" x 12' | 1/4" MPT, Swivel | 10' | 6" | Blue | N5AS3-12 | | 1" x 25' | 3/4" MPT, Swivel | 17' | 9" | Black | N1DS1-25* | |
| 5/16" x 25' | 1/4" MPT, Swivel | 22' | 9" | Red | N5AS2-25 | 15251 | 1" x 50' | 3/4" MPT, Swivel | 35' | 18" | Red | N1DS2-50* | 19501 |
| 5/16" x 25' | 1/4" MPT, Swivel | 22' | 9" | Blue | N5AS3-25 | | 1" x 50' | 3/4" MPT, Swivel | 35' | 18" | Black | N1DS1-50* | |
| 5/16" x 50' | 1/4" MPT, Swivel | 45' | 20" | Red | N5AS2-50 | 15501 | 1" x 25' | 1" MPT, Rigid Barb | 17' | 9" | Red | N1ER2-25* | 19271 |
| 5/16" x 50' | 1/4" MPT, Swivel | 45' | 20" | Blue | N5AS3-50 | | 1" x 25' | 1" MPT, Rigid Barb | 17' | 9" | Black | N1ER1-25* | |
| 5/16" x 100' | None (Bulk) | N. A. | 36" | Red | N5XX2-100 | 15001 | 1" x 50' | 1" MPT, Rigid Barb | 35' | 18" | Red | N1ER2-50* | 19571 |
| 5/16" x 100' | None (Bulk) | N. A. | 36" | Blue | N5XX3-100 | | 1" x 50' | 1" MPT, Rigid Barb | 35' | 18" | Black | N1ER1-50* | |
| 3/8" x 12' | 1/4" MPT, Swivel | 10' | 5" | Red | N6AS2-12 | 16171 | 1" x 80' | None (Bulk) | N. A. | 27" | Red | N1XX2-80 | 19081 |
| 3/8" x 12' | 1/4" MPT, Swivel | 10' | 5" | Yellow | N6AS5-12 | 16172 | 1" x 80' | None (Bulk) | N. A. | 27" | Black | N1XX1-80 | 19083 |
| 3/8" x 12' | 1/4" MPT, Swivel | 10' | 5" | Blue | N6AS3-12 | | 1" x 100' | None (Bulk) | N. A. | 32" | Red | N1XX2-100 | 19001 |
| 3/8" x 12' | 1/4" MPT, Swivel | 10' | 5" | Black | N6AS1-12 | | 1" x 100' | None (Bulk) | N. A. | 32" | Black | N1XX1-100 | 19003 |
| 3/8" x 25' | 1/4" MPT, Swivel | 21' | 10" | Red | N6AS2-25 | 16271 | 1-1/4" x 100' | None (Bulk) | N. A. | 32" | Red | N7XX2-100 | 20001 |
| 3/8" x 25' | 1/4" MPT, Swivel | 21' | 10" | Yellow | N6AS5-25 | 16272 | 1-1/4" x 100' | None (Bulk) | N. A. | 32" | Black | N7XX1-100 | 20003 |

*3/4" & 1" Hose Assemblies Do Not Require Spring Guards

Heavy Duty Nylon Self-Storing Air Hose Assemblies & Bulk Hose Ordering Information

| Hose I.D. & Length | Fittings | Working Length | Nominal Compact Length | Hose Color | Part Number | Previous Part Number |
|--------------------|------------------|----------------|------------------------|------------|-------------|----------------------|
| 1/4" x 12' | 1/4" MPT, Swivel | 10' | 6" | Blue | H4AS3-12 | 14410 |
| 1/4" x 25' | 1/4" MPT, Swivel | 22' | 11" | Blue | H4AS3-25 | 14420 |
| 1/4" x 50' | 1/4" MPT, Swivel | 45' | 20" | Blue | H4AS3-50 | 14430 |
| 1/4" x 100' | None (Bulk) | N. A. | 38" | Blue | H4XX3-100 | 14200 |
| 3/8" x 12' | 3/8" MPT, Swivel | 10' | 6" | Blue | H6BS3-12 | 16410 |
| 3/8" x 25' | 3/8" MPT, Swivel | 21' | 11" | Blue | H6BS3-25 | 16420 |
| 3/8" x 50' | 3/8" MPT, Swivel | 42' | 20" | Blue | H6BS3-50 | 16430 |
| 3/8" x 100' | None (Bulk) | N. A. | 39" | Blue | H6XX3-100 | 16200 |



Nylon Self-Storing Air Hoses & Blow Guns

State-of-the-art lever operated Vari-Flo Blow Guns & the Original Nycoil Self-Storing Air Hose packaged together as a high quality yet economical combination.



Nylon Self-Storing Air Hose & Blow Gun Ordering Information

| Item Description | Part Number | Item Description | Part Number |
|---|-----------------|---|-----------------|
| 1/4" x 12' Red Nylon Hose & Vari-Flo Safety Tip Blow Gun (Chrome Plated) | GCS-2-12 | 1/4" x 12' Red Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Chrome Plated) | GCR-2-12 |
| 1/4" x 12' Yellow Nylon Hose & Vari-Flo Safety Tip Blow Gun (Chrome Plated) | GCS-5-12 | 1/4" x 12' Yellow Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Chrome Plated) | GCR-5-12 |
| 1/4" x 25' Red Nylon Hose & Vari-Flo Safety Tip Blow Gun (Chrome Plated) | GCS-2-25 | 1/4" x 25' Red Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Chrome Plated) | GCR-2-25 |
| 1/4" x 25' Yellow Nylon Hose & Vari-Flo Safety Tip Blow Gun (Chrome Plated) | GCS-5-25 | 1/4" x 25' Yellow Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Chrome Plated) | GCR-5-25 |
| 1/4" x 12' Red Nylon Hose & Vari-Flo Safety Tip Blow Gun (Black Powder Coat) | GBS-2-12 | 1/4" x 12' Red Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Black Powder Coat) | GBR-2-12 |
| 1/4" x 12' Yellow Nylon Hose & Vari-Flo Safety Tip Blow Gun (Black Powder Coat) | GBS-5-12 | 1/4" x 12' Yellow Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Black Powder Coat) | GBR-5-12 |
| 1/4" x 25' Red Nylon Hose & Vari-Flo Safety Tip Blow Gun (Black Powder Coat) | GBS-2-25 | 1/4" x 25' Red Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Black Powder Coat) | GBR-2-25 |
| 1/4" x 25' Yellow Nylon Hose & Vari-Flo Safety Tip Blow Gun (Black Powder Coat) | GBS-5-25 | 1/4" x 25' Yellow Nylon Hose & Vari-Flo Rubber Tip Blow Gun (Black Powder Coat) | GBR-5-25 |

Dual Bonded Nylon Self-Storing Air Hose Assemblies & Bulk Hose Ordering Information

| Hose I. D. & Length | Fittings | Working Length | Nominal Compact Length | Hose Color | Part Number | Previous Part Number | Hose I. D. & Length | Fittings | Working Length | Nominal Compact Length | Hose Color | Part Number | Previous Part Number |
|---------------------|------------------|----------------|------------------------|------------|-------------------|----------------------|---------------------|------------------|----------------|------------------------|------------|-------------------|----------------------|
| 1/8" x 12' | 1/8" MPT, Swivel | 6' | 8-1/2" | Red, Red | 2N2GS22-12 | 22212 | 3/8" x 12' | 3/8" MPT, Swivel | 6' | 5-1/2" | Red, Red | 2N6BS22-12 | 22612 |
| 1/8" x 12' | 1/8" MPT, Swivel | 6' | 8-1/2" | Red, Blue | 2N2GS23-12 | | 3/8" x 12' | 3/8" MPT, Swivel | 6' | 5-1/2" | Red, Blue | 2N6BS23-12 | |
| 1/8" x 25' | 1/8" MPT, Swivel | 12-1/2' | 17" | Red, Red | 2N2GS22-25 | 22225 | 3/8" x 25' | 3/8" MPT, Swivel | 12-1/2' | 11" | Red, Red | 2N6BS22-25 | 22625 |
| 1/8" x 25' | 1/8" MPT, Swivel | 12-1/2' | 17" | Red, Blue | 2N2GS23-25 | | 3/8" x 25' | 3/8" MPT, Swivel | 12-1/2' | 11" | Red, Blue | 2N6BS23-25 | |
| 1/8" x 50' | 1/8" MPT, Swivel | 25' | 34" | Red, Red | 2N2GS22-50 | 22250 | 3/8" x 50' | 3/8" MPT, Swivel | 25' | 22" | Red, Red | 2N6BS22-50 | 22650 |
| 1/8" x 50' | 1/8" MPT, Swivel | 25' | 34" | Red, Blue | 2N2GS23-50 | | 3/8" x 50' | 3/8" MPT, Swivel | 25' | 22" | Red, Blue | 2N6BS23-50 | |
| 1/8" x 50' | None (Bulk) | N. A. | 34" | Red, Red | 2N2XX22-50 | 22200 | 3/8" x 50' | None (Bulk) | N. A. | 22" | Red, Red | 2N6XX22-50 | 22600 |
| 1/8" x 50' | None (Bulk) | N. A. | 34" | Red, Blue | 2N2XX23-50 | | 3/8" x 50' | None (Bulk) | N. A. | 22" | Red, Blue | 2N6XX23-50 | |
| 3/16" x 12' | 1/4" MPT, Swivel | 6' | 7-1/2" | Red, Red | 2N3AS22-12 | 22312 | 1/2" x 12' | 1/2" MPT, Swivel | 6' | 5-1/2" | Red, Red | 2N8CS22-12 | 22712 |
| 3/16" x 12' | 1/4" MPT, Swivel | 6' | 7-1/2" | Red, Blue | 2N3AS23-12 | | 1/2" x 12' | 1/2" MPT, Swivel | 6' | 5-1/2" | Red, Blue | 2N8CS23-12 | |
| 3/16" x 25' | 1/4" MPT, Swivel | 12-1/2' | 15" | Red, Red | 2N3AS22-25 | 22325 | 1/2" x 25' | 1/2" MPT, Swivel | 12-1/2' | 11" | Red, Red | 2N8CS22-25 | 22725 |
| 3/16" x 25' | 1/4" MPT, Swivel | 12-1/2' | 15" | Red, Blue | 2N3AS23-25 | | 1/2" x 25' | 1/2" MPT, Swivel | 12-1/2' | 11" | Red, Blue | 2N8CS23-25 | |
| 3/16" x 50' | 1/4" MPT, Swivel | 25' | 30" | Red, Red | 2N3AS22-50 | 22350 | 1/2" x 50' | 1/2" MPT, Swivel | 25' | 22" | Red, Red | 2N8CS22-50 | 22750 |
| 3/16" x 50' | 1/4" MPT, Swivel | 25' | 30" | Red, Blue | 2N3AS23-50 | | 1/2" x 50' | 1/2" MPT, Swivel | 25' | 22" | Red, Blue | 2N8CS23-50 | |
| 3/16" x 50' | None (Bulk) | N. A. | 30" | Red, Red | 2N3XX22-50 | 22300 | 1/2" x 50' | None (Bulk) | N. A. | 22" | Red, Red | 2N8XX22-50 | 22700 |
| 3/16" x 50' | None (Bulk) | N. A. | 30" | Red, Blue | 2N3XX23-50 | | 1/2" x 50' | None (Bulk) | N. A. | 22" | Red, Blue | 2N8XX23-50 | |
| 1/4" x 12' | 1/4" MPT, Swivel | 6' | 8-1/2" | Red, Red | 2N4AS22-12 | 22412 | 3/4" x 50' | 3/4" MPT, Swivel | 25' | 22" | Red, Red | 2N9DS22-50 | |
| 1/4" x 12' | 1/4" MPT, Swivel | 6' | 8-1/2" | Red, Blue | 2N4AS23-12 | | 3/4" x 50' | 3/4" MPT, Swivel | 25' | 22" | Red, Black | 2N9DS21-50 | |
| 1/4" x 25' | 1/4" MPT, Swivel | 12-1/2' | 16-1/2" | Red, Red | 2N4AS22-25 | 22425 | 3/4" x 50' | None (Bulk) | N. A. | 22" | Red, Red | 2N9XX22-50 | 22800 |
| 1/4" x 25' | 1/4" MPT, Swivel | 12-1/2' | 16-1/2" | Red, Blue | 2N4AS23-25 | | 3/4" x 50' | None (Bulk) | N. A. | 22" | Red, Black | 2N9XX21-50 | |
| 1/4" x 50' | 1/4" MPT, Swivel | 25' | 33" | Red, Red | 2N4AS22-50 | 22450 | | | | | | | |
| 1/4" x 50' | 1/4" MPT, Swivel | 25' | 33" | Red, Blue | 2N4AS23-50 | | | | | | | | |
| 1/4" x 50' | None (Bulk) | N. A. | 33" | Red, Red | 2N4XX22-50 | 22400 | | | | | | | |
| 1/4" x 50' | None (Bulk) | N. A. | 33" | Red, Blue | 2N4XX23-50 | | | | | | | | |

All Swivel Fittings Include Reusable Thread Sealant Pre-Applied At The Factory.

Nylon Hose Specifications

| Series Number | Hose Inside Diameter | Hose Outside Diameter | Nominal Coil Inside Diameter | Nominal Coil Outside Diameter | Working Pressure @ 68° F (20° C) |
|---------------|----------------------|-----------------------|------------------------------|-------------------------------|----------------------------------|
| N2 | 1/8" | .186" | 1-1/4" | 1-3/4" | 385 PSI (26.50 Bars) |
| N3 | 3/16" | .249" | 2" | 2-1/2" | 285 PSI (19.75 Bars) |
| T4 | 1/4" | .310" | 2-1/2" | 3" | 240 PSI (16.50 Bars) |
| N4 | 1/4" | .310" | 3" | 3-1/2" | 240 PSI (16.50 Bars) |
| N5 | 5/16" | .373" | 4" | 4-1/2" | 210 PSI (14.50 Bars) |
| N6 | 3/8" | .463" | 4-1/2" | 5-1/2" | 225 PSI (15.50 Bars) |
| N8 | 1/2" | .623" | 6-1/2" | 8" | 220 PSI (15.25 Bars) |
| N9 | 3/4" | .873" | 11" | 13" | 160 PSI (11.00 Bars) |
| N1 | 1" | 1.197" | 14" | 16-1/2" | 190 PSI (13.00 Bars) |
| N7 | 1-1/4" | 1.550" | 18" | 21-1/2" | 200 PSI (13.75 Bars) |
| H4 | 1/4" | .373" | 3-1/2" | 4-1/2" | 350 PSI (24.00 Bars) |
| H6 | 3/8" | .498" | 4-1/2" | 5-1/2" | 310 PSI (21.50 Bars) |
| 2N2 | 1/8" | .186" | 2" | 2-3/8" | 385 PSI (26.50 Bars) |
| 2N3 | 3/16" | .249" | 3" | 3-1/2" | 285 PSI (19.75 Bars) |
| 2N4 | 1/4" | .310" | 3-1/2" | 4-1/2" | 240 PSI (16.50 Bars) |
| 2N6 | 3/8" | .463" | 8" | 9" | 225 PSI (15.50 Bars) |
| 2N8 | 1/2" | .623" | 11" | 12-1/4" | 220 PSI (15.25 Bars) |
| 2N9 | 3/4" | .873" | 14" | 16" | 160 PSI (11.00 Bars) |



Nylon Self-Storing Air Hose & Blow Gun



Dual Bonded Nylon Self-Storing Air Hose Assemblies

We are continually developing new innovations to further enhance our product line and, as a result, reserve the right to make design, engineering or specification changes without prior notice.

Reusable Fittings For Nylon Self-Storing Air Hose (includes fitting, nut & spring guard)

| Hose Size | Fitting Type | Part Number | Hose Size | Fitting Type | Part Number |
|-----------|-----------------------|-------------|--|-----------------------|-------------|
| 3/16" | 1/4" Male Swivel NPT | 01300 | 3/8" | 1/4" Male Swivel NPT | 01640 |
| 3/16" | 1/4" Male Swivel BSPT | 01306 | 3/8" | 1/4" Male Swivel BSPT | 01646 |
| 3/16" | 1/4" Male Swivel BSPP | 01307 | 3/8" | 1/4" Male Swivel BSPP | 01647 |
| 1/4" | 1/4" Male Swivel NPT | 01400 | 3/8" | 3/8" Male Swivel NPT | 01600 |
| 1/4" | 1/4" Male Swivel BSPT | 01406 | 3/8" | 3/8" Male Swivel BSPT | 01606 |
| 1/4" | 1/4" Male Swivel BSPP | 01407 | 3/8" | 3/8" Male Swivel BSPP | 01607 |
| 5/16" | 1/4" Male Swivel NPT | 01500 | 1/2" | 1/2" Male Swivel NPT | 01700 |
| 5/16" | 1/4" Male Swivel BSPT | 01506 | Our reusable fittings require no ferrules or inserts that become deformed during installation, so the fittings can be used over & over again without replacing any components! | | |
| 5/16" | 1/4" Male Swivel BSPP | 01507 | | | |



Compression Fittings For Nylon Self-Storing Air Hose (includes fitting, insert, ferrule, nut & spring guard)

| Hose Size | Fitting Type | Part Number |
|-----------------|----------------------|-------------|
| 1/8" | 1/8" Male Swivel NPT | 01200 |
| 3/4" | 3/4" Male Swivel NPT | 01802* |
| 1" | 3/4" Male Swivel NPT | 01980*+ |
| 1" | 1" Male Rigid NPT | 01900*+ |
| 1/4" Heavy Duty | 1/4" Male Swivel NPT | 06165 |

*Spring Guard Not Required *Hose Barb Fitting



Compression Fitting Components For Nylon Self-Storing Air Hoses

| Hose Size | Thread Type | Fitting Part Number | Nut Part Number | Ferrule & Insert Part Number | Spring Guard Part Number |
|-----------|----------------------|---------------------|-----------------|------------------------------|--------------------------|
| 1/8" | 1/8" Male Swivel NPT | 01205 | 00202 | 00203 | 00201 |
| 3/16" | 1/4" Male Swivel NPT | 01305 | 00302 | 00303 | 00301 |
| 1/4" | 1/4" Male Swivel NPT | 01405 | 00402 | 00403 | 00401 |
| 5/16" | 1/4" Male Swivel NPT | 01505 | 00502 | 00503 | 00501 |
| 3/8" | 1/4" Male Swivel NPT | 01645 | 00602 | 00603 | 00601 |
| 3/8" | 3/8" Male Swivel NPT | 01605 | 00602 | 00603 | 00601 |
| 1/2" | 1/2" Male Swivel NPT | 01705 | 00702 | 00703 | 00701 |
| 3/4" | 3/4" Male Swivel NPT | 01806 | 00802 | 00803 | N. A. |

Splicer Kits For Nylon Self-Storing Air Hoses (includes 1 fitting, 2 inserts, 2 ferrules & 2 nuts)

| Hose Size | Part Number |
|-----------|-------------|
| 1/8" | 00206 |
| 3/16" | 00306 |
| 1/4" | 00406 |
| 5/16" | 00506 |
| 3/8" | 00606 |
| 1/2" | 00706 |
| 3/4" | 00806 |
| 1" | 00906* |



* Kit Includes Barb Fitting & 2 Hose Clamps.

Lead-In Hoses (Pigtails)

Lead-In Hoses, also called Pigtails, Whip Ends or Whip Hoses, are used on the working end of self-storing air hoses as well as straight hoses as a means of minimizing costs by:


Extending The Life Of The Hose: Most hose wear and failure occurs near the point of use, where all of the bending and flexing occurs. A Lead-In Hose will take the brunt of the abuse, giving the hose a much longer service life.

Protecting The Coupler: High vibration and impact tools will damage the valve of a coupler, causing premature failure. A short Lead-In Hose ("snubber") between the coupler and air tool will absorb the shock and vibration, protecting the coupler from these damaging effects.

Making The Worker More Productive: Most air supply hoses are heavy or bulky and difficult to work with. A lightweight, flexible Lead-In Hose makes it easier for the worker to manipulate the air tool, reducing fatigue while increasing productivity. Our Lead-In Hoses are made exclusively from 3/8" **Ultra-Lite** >>SUPERBRAID<<, combining lightweight, flexibility, durability and a working pressure (200 psi) that meets the requirements of almost every application. The contemporary looking state-of-the-art strain relief sleeve on the tool end protects the hose at its weakest point (at the barb) while enhancing the appearance of the entire assembly. Other manufacturers use a strain relief that limits the ability of the hose to bend, but ours was uniquely designed to take advantage of Polyurethane's flexibility, giving the user a much wider range of motion without the possibility of kinking . . . making it ideal for a Lead-In Hose!

Available in a variety of hose lengths in three (3) configurations:

- 1/4" Male NPT x 1/4" Rigid Female NPT
- 1/4" Male NPT x 1/4" Rigid Male NPT
- 1/4" Male NPT x 1/4" Body Size Industrial Interchange Plug



3/8" Lead-In Hose (Pigtail) Ordering Information (Male x Female)

| Item Description | Connection Type | Part Number |
|------------------|---|-------------|
| 3/8" x 12" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L612F4 |
| 3/8" x 24" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L624F4 |
| 3/8" x 36" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L636F4 |
| 3/8" x 48" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L648F4 |
| 3/8" x 60" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L660F4 |
| 3/8" x 72" | 1/4" Rigid Male NPT x 1/4" Rigid Female NPT | L672F4 |

3/8" Lead-In Hose (Pigtail) Ordering Information (Male x Male)

| Item Description | Connection Type | Part Number |
|------------------|---|-------------|
| 3/8" x 12" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L612M4 |
| 3/8" x 24" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L624M4 |
| 3/8" x 36" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L636M4 |
| 3/8" x 48" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L648M4 |
| 3/8" x 60" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L660M4 |
| 3/8" x 72" | 1/4" Rigid Male NPT x 1/4" Rigid Male NPT | L672M4 |

3/8" Lead-In Hose (Pigtail) Ordering Information (Male x Industrial Interchange Plug)

| Item Description | Connection Type | Part Number |
|------------------|---|-------------|
| 3/8" x 12" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L612I4P |
| 3/8" x 24" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L624I4P |
| 3/8" x 36" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L636I4P |
| 3/8" x 48" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L648I4P |
| 3/8" x 60" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L660I4P |
| 3/8" x 72" | 1/4" Rigid Male NPT x 1/4" Body Industrial Interchange Plug | L672I4P |